

OLAPARIB

Antineoplastic, PARP enzyme inhibitor

Availability ¹	Brand name	Quick guide
Tablet, film-coated 100 mg, 150 mg	Lynparza	 

Effect of food Food does not significantly affect absorption of the tablet. Can be given without regard to food.¹

Avoid grapefruit, grapefruit juice, star fruit and Seville oranges.¹

Warnings **Hazard.**^{1,2} Occupational exposure may be harmful. **Teratogen.**¹ **Do not crush or disperse the tablet if you are pregnant.** Contact a pharmacist or a medicines information service for advice.

Other May cause stomatitis, impaired or altered sense of taste and mouth ulcers.¹

What to do for people with enteral feeding tubes

Do not crush, break or disperse the tablet.¹

See *Warnings*.

Contact a pharmacist or a medicines information service for advice, or contact the prescriber to consider other options.

What to do for people with swallowing difficulties

Do not crush, break, disperse or chew the tablet.¹

See *Warnings*.

Contact a pharmacist or a medicines information service for advice, or contact the prescriber to consider other options.

REFERENCES:

1. Product information. Available from www.tga.gov.au. Accessed 06/10/2022.
2. National Institute for Occupational Safety and Health. NIOSH list of antineoplastic and other hazardous drugs in healthcare settings 2020. Cincinnati, OH: Department of Health and Human Services; 2020.